

Just4Cert 0B0-108 Exams

BEA System Administration Exam



Practice Exam: 0B0-108

Exam Number/Code: 0B0-108

Exam Name: System Administration Exam

Questions and Answers: 70 Q&As

Exam Description

Order : [0B0-108 Exam](#)

1. Just4Cert offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 0B0-108 Exam.

Just4Cert **Practice Exams** for 0B0-108 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **BEA 9 Certified Administrator 8.1 Certified Architect** exam and get your **BEA 9 Certified Administrator 8.1 Certified Architect Certification**.

We guarantee your success in the first attempt. If you do not pass the **BEA 9 Certified Administrator 8.1 Certified Architect "0B0-108"** (System Administration Exam on your first attempt, send us the official result. We will give you : FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Just4Cert BEA 9 Certified Administrator 8.1 Certified Architect 0B0-108 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of BEA 9 Certified Administrator 8.1 Certified Architect 0B0-108 exam provides everything which you need to pass your exam. The BEA 9 Certified Administrator 8.1 Certified Architect Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "0B0-108 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first System Administration Exam(BEA 9 Certified Administrator 8.1 Certified Architect) exam try, but also save your valuable time.

Comprehensive questions with complete details about 0B0-108 exam.

0B0-108 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real BEA 9 Certified Administrator 8.1 Certified Architect exam. 0B0-108 exam questions updated on regular basis.

Like actual BEA 9 Certified Administrator 8.1 Certified Architect Certification exams, 0B0-108 exam preparation is in multiple-choice questions (MCQs). Tested by many real BEA 9 Certified Administrator 8.1 Certified Architect exams before publishing.

Try free BEA 9 Certified Administrator 8.1 Certified Architect exam demo before you decide to buy it in <http://www.Just4Cert.com>

High quality and Valued for the 0B0-108 Exam: 100% Guarantee to Pass Your 0B0-108 exam and get your BEA 9 Certified Administrator 8.1 Certified Architect Certification. Come to <http://www.Just4Cert.com> The easiest and

quickest way to get your BEA 9 Certified Administrator 8.1 Certified Architect Certification.

Just4Cert professional provides BEA 9 Certified Administrator 8.1 Certified Architect 0B0-108 the newest Q&A, completely covers 0B0-108 test original topic. With our completed BEA 9 Certified Administrator 8.1 Certified Architect resources, you will minimize your BEA 9 Certified Administrator 8.1 Certified Architect cost and be ready to pass your 0B0-108 test on Your First Try, 100% Money Back Guarantee included!

0B0-108 Exam Study Guide

0B0-108 exam is regarded as one of the most favourite [BEA 9 Certified Administrator 8.1 Certified Architect Certifications](#). Many IT professionals prefer to add 0B0-108 exam among their credentials. Just4Cert not only caters you all the information regarding the 0B0-108 exam but also provides you the excellent 0B0-108 study guide which makes the certification exam easy for you.

Just4Cert Engine Features

Comprehensive questions and answers about 0B0-108 exam

0B0-108 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

0B0-108 exam questions updated on regular basis

Same type as the certification exams, 0B0-108 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 0B0-108 exam demo before you decide to buy it in Just4Cert.com

Just4Cert Help You Pass Any IT Exam

[Just4Cert.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : BEA Systems 0B0-108

Title : BEA9 Certified Administrator: System Administration Exam

1. WebLogic store-and-forward service is used for:

- A. Storing and forwarding the configuration reliably to all the Managed Servers in a cluster
- B. Storing log messages and forwarding them to the administration server for creating the Domain Log
- C. Storing and delivering JMS messages reliably between applications across WebLogic Server 9.x instances
- D. Storing and forwarding EJB requests reliably to a back-end EJB cluster

Answer: C

2. Scenario : You have made the decision to migrate all your operations onto WebLogic Server. An application has been chosen from each department for the initial phase of migration one from each of Sales, Marketing, Accounts, and Customer Service. The applications will be deployed as individual EAR files to a cluster of WebLogic Server 9.x instances, each with a pool of connections to an Oracle 10g database that provides corporate and departmental data services. The database team hopes to upgrade the database to use Oracle RAC (Real Application Clusters) shortly, which will require you to configure multiple sets of connections. Connectivity to the existing Service Engineer Dispatch system is via a JMS message bridge. When a service engineer calls in with a report, a message is sent via JMS to the Customer Service application deployed in WebLogic Server. The customer record in the Customer Service database must be updated with details from the message. It is important that the message is not lost because the call management system is not able to resend messages. To address this, the Customer Service application is accessing a persistent JMS Queue using an XA compatible connection factory.

In the future, each department will have its own schema within the Oracle database and the developers are writing

their code with this in mind. However, for now, it has been decided to store all data in a single, company-wide schema. Which of the following approaches will make a future move to multiple schema simple, while making the most efficient use of resources today?

- A. Deploy an application-scoped Data Source module with each application.
- B. Deploy a Data Source system module and assign it multiple JNDI names.
- C. Deploy each department's application to its own WebLogic server.
- D. Deploy a Data Source system module for each department's application.

Answer: B

3. What redeployment strategy is recommended to upgrade the web applications and enterprise applications that demand uninterrupted client access and without changing the client's state information?

- A. In-Place redeployment
- B. Production redeployment
- C. Partial redeployment of static files
- D. Partial redeployment of J2EE modules

Answer: B

4. In a multi-server WebLogic domain, monitoring the JVM statistics showed frequent full garbage collections (gc) on one of the server instances. Which one of the following would greatly reduce the frequency of full gc's?

- A. Increasing the young object space in the heap
- B. Turning the `-verbosegc` flag on
- C. Adding more servers to the domain
- D. Running more servers per machine

Answer: A

5. Scenario : You have made the decision to migrate all your operations onto WebLogic Server. An application has been chosen from each department for the initial phase of migration one from each of Sales, Marketing, Accounts, and Customer Service. The applications will be deployed as individual EAR files to a cluster of WebLogic Server 9.x instances, each with a pool of connections to an Oracle 10g database that provides corporate and departmental data services. The database team hopes to upgrade the database to use Oracle RAC (Real Application Clusters) shortly, which will require you to configure multiple sets of connections. Connectivity to the existing Service Engineer Dispatch system is via a JMS message bridge. When a service engineer calls in with a report, a message is sent via JMS to the Customer Service application deployed in WebLogic Server. The customer record in the Customer Service database must be updated with details from the message. It is important that the message is not lost because the call management system is not able to resend messages. To address this, the Customer Service application is accessing a persistent JMS Queue using an XA compatible connection factory.

Before deploying it into the test environment, you review the configuration of the Sales department's Enterprise Application, which is meant to contain a JDBC Application Module ?you are concerned that it may not have been built correctly. Most of an application's deployment descriptors only reference the JDBC module using a JNDI name. Which file listed below is the only one that refers directly to the JDBC Application Module file?

- A. `config.xml`
- B. `application.xml`
- C. `weblogic-ejb-jar.xml`
- D. `weblogic-application.xml`

Answer: D

6. Scenario : The Stock Control Application you are going to deploy to a cluster of WebLogic Managed Servers requires a JMS destination to asynchronously deliver the messages to the back-end Warehousing Application. To distribute the messages across the cluster, you decided to configure the distributed destination. Also the Warehousing Application is a legacy application written to implement a proprietary MQ API connecting an MQ-Series server. The Stock Control Application is implemented as a web application on a WebLogic cluster delivering the message to the distributed destination. The cluster has three Managed Servers hosted on two high powered machine and one low range/powerful machine.

To distribute the physical destinations unevenly across the clustered WebLogic Managed Servers so that the high-

powered machines can receive more messages than the low-powered machines, configure the distributed destination with:

- A. "Allocate Members Uniformly" set to false and manually select more physical destinations from the high-powered machines
- B. "Uneven Distribution" set to true and select all the physical destinations
- C. "Uniform Distribute Destination" set to true and select all the physical destinations from the high-powered and low-powered machines
- D. "Load Balancing Policy" set to Random and select only the destination from the high-powered machine

Answer: A

7. When configuring JMS Modules using the WebLogic Administration Console or WLST, the module information will be stored in:

- A. <modulename> stanza in the weblogic-application.xml file.
- B. <modulename> stanza in the configconfig.xml file.
- C. <domain>/config/jms/<modulename>-jms.xml file
- D. <domain>/servers/<servername>/targets/jms/<modulename>_<servername>.xml

Answer: C

8. Scenario : You have made the decision to migrate all your operations onto WebLogic Server. An application has been chosen from each department for the initial phase of migration one from each of Sales, Marketing, Accounts, and Customer Service. The applications will be deployed as individual EAR files to a cluster of WebLogic Server 9.x instances, each with a pool of connections to an Oracle 10g database that provides corporate and departmental data services. The database team hopes to upgrade the database to use Oracle RAC (Real Application Clusters) shortly, which will require you to configure multiple sets of connections. Connectivity to the existing Service Engineer Dispatch system is via a JMS message bridge. When a service engineer calls in with a report, a message is sent via JMS to the Customer Service application deployed in WebLogic Server. The customer record in the Customer Service database must be updated with details from the message. It is important that the message is not lost because the call management system is not able to resend messages. To address this, the Customer Service application is accessing a persistent JMS Queue using an XA compatible connection factory.

Before deploying it into the test environment, you review the configuration of the Sales department's Enterprise Application, which is meant to contain a JDBC Application Module you are concerned that it may not have been built correctly. Which of the following is not a requirement for JDBC modules?

- A. It is contained in a file that ends in -jdbc.xml.
- B. It includes an element that lists its targets.
- C. It conforms to the weblogic-jdbc.xsd schema.
- D. It includes a unique name element.

Answer: B

9. During an upgrade process, which one of the following is NOT converted to 9.x by the upgrade wizard?

- A. User scripts
- B. User file store persisted data
- C. User tlog
- D. User in-flight transactions

Answer: A

10. Scenario : You have made the decision to migrate all your operations onto WebLogic Server. An application has been chosen from each department for the initial phase of migration one from each of Sales, Marketing, Accounts, and Customer Service. The applications will be deployed as individual EAR files to a cluster of WebLogic Server 9.x instances, each with a pool of connections to an Oracle 10g database that provides corporate and departmental data services. The database team hopes to upgrade the database to use Oracle RAC (Real Application Clusters) shortly, which will require you to configure multiple sets of connections. Connectivity to the existing Service Engineer Dispatch system is via a JMS message bridge. When a service engineer calls in with a report, a message is sent via JMS to the Customer Service application deployed in WebLogic Server. The customer record in the Customer Service database must be updated with details from the message. It is important that the message is not lost because the

call management system is not able to resend messages. To address this, the Customer Service application is accessing a persistent JMS Queue using an XA compatible connection factory.

The database team informs you that they have now implemented Oracle Real Application Clusters (RA for the Customer Service database, and applications should connect to a second database node if the primary node is unavailable. You set up a Multi Data Source in Failover mode, which is configured to use two Data Sources PrimaryDS and SecondaryDS, each connecting to one Oracle RAC node. WebLogic Server will fail over to SecondaryDS if a connection test to PrimaryDS fails. Under what other condition will this happen by default (that is, with no additional options checked)?

- A. If a connection to PrimaryDS is not released within Statement Timeout seconds.
- B. If all the connections to PrimaryDS are in use.
- C. If the administrator has suspended the PrimaryDS Data Source.
- D. Failover will only occur if a connection test fails for a PrimaryDS connection.

Answer: C

11. Scenario : You have made the decision to migrate all your operations onto WebLogic Server. An application has been chosen from each department for the initial phase of migration one from each of Sales, Marketing, Accounts, and Customer Service. The applications will be deployed as individual EAR files to a cluster of WebLogic Server 9.x instances, each with a pool of connections to an Oracle 10g database that provides corporate and departmental data services. The database team hopes to upgrade the database to use Oracle RAC (Real Application Clusters) shortly, which will require you to configure multiple sets of connections. Connectivity to the existing Service Engineer Dispatch system is via a JMS message bridge. When a service engineer calls in with a report, a message is sent via JMS to the Customer Service application deployed in WebLogic Server. The customer record in the Customer Service database must be updated with details from the message. It is important that the message is not lost because the call management system is not able to resend messages. To address this, the Customer Service application is accessing a persistent JMS Queue using an XA compatible connection factory.

When starting WebLogic Server, the Marketing database is unavailable. Which of these Data Source configuration options will ensure that the Marketing application can access its database once it becomes available again?

- A. Test Connections On Reserve
- B. Test Frequency
- C. Connection Creation Retry Frequency
- D. Login Delay
- E. Profile Connection Reservation Wait

Answer: C

12. Which one of the following does NOT depict the difference between production and development mode in WebLogic Server 9.x?

- A. When starting in development mode, log files are automatically rotated; in production mode, the log files are rotated after reaching 500k.
- B. The JDBC default connection in development is 15, in production, it is 25.
- C. WLS automatically deploys applications in the domain_name/autodeploy directory; in production, there is no auto deploy.
- D. The default number of execute threads for the default queue in development is 15, in production is 25

Answer: D

13. Given the following: `wlst:/offline> configToScript()` the generated WLST script, by default, will be written to:

- A. `<base_domain>/config`
- B. `<base_domain>/config/deployment`
- C. `<base_domain>`
- D. `<base_domain>/servers`

Answer: A

14. What are the four basic components of a JMS system-resource module in the config.xml in WebLogic x?

- A. Name, target, subdeployment, descriptor-file-name
- B. Domain, jms-server, connection factory, destination

C. Config.xml, jms-module, subdeployment, descriptor-file-name

D. Name, jms-module, subdeployment, descriptor-file-name

Answer: A

15. The default location for storing JMS persistent messages in WebLogic Server 9.x is:

A. Database Store using JDBC

B. WebLogic Persistent Store using a file

C. LDAP server using the embedded LDAP server

D. Remote server using t3 socket buffering

Answer: B

[More OB0-108 Information](#)

Related OB0-108 Exams

[OB0-108](#) *System Administration Exam*

Other BEA Exams

[OB0-401](#)

[OB0-105](#)

[OB0-400](#)

[OB0-101](#)

[OB0-108](#)

[OB0-102](#)

[OB0-104](#)

[OB0-107](#)

[OB0-109](#)

[OB0-106](#)

[OB0-110](#)

[OB0-410](#)

[OB0-103](#)