

## 117-201 LPIC Level 2

### Lpi Lpi Level 2 Exam 201

**Practice Exam:** 117-201 Exams

**Exam Number/Code:** 117-201

**Exam Name:** Lpi Level 2 Exam 201

**Questions and Answers:** 118 Q&As

( [LPIC Level 2](#) )



Exam : [117-201](#)

"Lpi Level 2 Exam 201", also known as 117-201 exam, is a Lpi certification. With the complete collection of questions and answers, TestInside has assembled to take you through 118 Q&As to your 117-201 Exam preparation. In the 117-201 exam resources, you will cover every field and category in Lpi Certification helping to ready you for your successful Lpi Certification.

Quality and Value for the 117-201 Exam TestInside Practice Exams for Lpi **LPIC Level 2** Certification 117-201 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

#### ***TestInside provide the professional Q&A.***

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 117-201 Exam.

117-201 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the LPIC Level 2 product experts, included the current newest 117-201 examination questions.

3. 100% Guarantee to Pass Your LPIC Level 2 exam and get your LPIC Level 2 Certification.

If you do not pass the Lpi Certification 117-201 exam (Lpi Level 2 Exam 201) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

#### ***use TestInside 117-201 Q&A ensure you pass the exam at your first try.***

TestInside professional provide LPIC Level 2 117-201 the newest Q&A, completely covers 117-201 test original topic. With our complete LPIC Level 2 resources, you will minimize your LPIC Level 2 cost and be ready to pass your 117-201 tests on Your First Try, 100% Money Back Guarantee included!

[Lpi 117-201](#) Test belongs to one of the LPIC Level 2 certified test, if needs to obtain the LPIC Level 2 certificate, you also need to participate in other related test, the details you may visit the [LPIC Level 2](#) certified topic, in there, you will see all related LPIC Level 2 certified subject of examination.

#### ***TestInside Testing Engine Features***

Comprehensive questions and answers about 117-201 exam

117-201 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

117-201 exam questions updated on regular basis

Same type as the certification exams, 117-201 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 117-201 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Lpi 117-201

Title : LPI Level 2 Exam 201

1. How can the label root be added to the ext2 filesystem on /dev/sda1? Please enter the command with all parameter (s) and/or option(s) below.

Answer: /sbin/tune2fs -L root /dev/sda1 tune2fs -L root /dev/sda1

2. One of the IDE hard drives in a server is transferring data very slowly. What command must be run to enable DMA on it?

- A. hdparm d /dev/hda
- B. hdparm dma /dev/hda
- C. hdparm dma /dev/hda1
- D. hdparm d /dev/hda1
- E. hdparm d 1 /dev/hda

Answer: E

3. After changing the default runlevel in the init configuration file, the system boots in a different than the intended runlevel. Where else could be this different runlevel be defined?

- A. Nowhere. The init configuration file wasn't properly modified.
- B. In the boot loader configuration file.
- C. In /etc/runlevel under default.
- D. In the initrd image file.
- E. In the /etc/rc.d/rc.local file.

Answer: B

4. Your newly compiled kernel can not find any modules it needs to load. What command was missed when compiling and installing the kernel?

Answer: make modules\_install

5. After a crash, the system needs to be booted into runlevel 1. Which option(s) must be typed at the LILO prompt to achieve this, assuming that the working kernel image is called 'linux'?

Answer: linux 1 linux single

6. What information does the file modules.dep provide?

- A. A list of all modules available to the kernel.
- B. A list of modules required by each module.
- C. A list of devices and their module name.
- D. A list of all modules compiled for this kernel.
- E. A list of modules the kernel needs to run.

Answer: B

7. A DNS server has the IP address 192.168.0.1. Which TWO of the following need to be done on a client machine to use this DNS server?

- A. Add nameserver 192.168.0.1 to /etc/resolv.conf.
- B. Run route add nameserver 192.168.0.1.
- C. Run ifconfig eth0 nameserver 192.168.0.1.

D. Ensure that the dns service is listed in the hosts entry in the /etc/nsswitch.conf file.

E. Run bind add nameserver 192.168.0.1.

Answer: AD

8. A 2.6.9ac1 kernel would be

A. an alpha kernel.

B. someone's patch to a stable kernel.

C. a stable kernel.

D. an unstable kernel.

E. someone's patch to an unstable kernel.

Answer: B

9. What is the command to add another IP address to an interface that already has (at least) one IP address?

A. ifconfig eth0:1 192.168.1.2

B. ifconfig eth0 192.168.1.2

C. ipconfig eth0:1 192.168.1.2

D. ipconfig eth0 192.168.1.2

Answer: A

10. You are compiling some software from source. After running ./configure with the appropriate arguments and no errors, what is the next command to run?

Answer: make make all

11. If the command arp -f is run, which file will be read by default?

A. /etc/hosts

B. /etc/ethers

C. /etc/arp.conf

D. /etc/networks

E. /var/cache/arp

Answer: B

12. To remove the patch patch2.4.28.tar.bz2 from a kernel source tree, the command that must be used is:

A. bunzip2 ../patch2.4.28.tar.bz2 | patch -p1

B. bunzip2 ../patch2.4.28.tar.bz2 | patch -Rp1

C. bunzip2 c ../patch2.4.28.tar.bz2 | patch -Rp1

D. bunzip2 c ../patch2.4.28.tar.bz2 | patch -p1

E. bunzip2 ../patch2.4.28.tar.bz2 | unpatch -p1

Answer: C

13. Performing a DNS lookup with dig results in this answer:

```
:: QUESTION SECTION:
```

```
;5.123.168.192.inaddr.arpa. IN PTR
```

```
:: ANSWER SECTION:
```

```
5.123.168.192.inaddr.arpa. 600 IN PTR linuxerv.example.net.123.168.192.inaddr.arpa.
```

```
:: AUTHORITY SECTION:
```

```
123.168.192.inaddr.arpa. 600 IN NS linuxerv.example.net.
```

```
:: ADDITIONAL SECTION:
```

```
linuxerv.example.net. 600 IN A 192.168.123.5
```

What might be wrong in the zone definition?

A. Nothing. All seems to be good.

B. There's no "." after linuxerv.example.net in the PTR record in the forward lookup zone file.

C. There's no "." after linuxerv in the PTR record in the forward lookup zone file.

D. There's no "." after linuxerv.example.net in the PTR record in the reverse lookup zone file.

E. The "." in the NS definition in reverse lookup zone has to be removed.

Answer: D

14. A zone file on the DNS server has been updated. Which of the following commands will tell named to reload its zone files? (Please select TWO correct answers)

- A. killall HUP named
- B. killall named
- C. rndc reload
- D. rndc flush
- E. namedcheckzone r

Answer: AC

15. Using only commands included with named, what is the command, with options or parameters, to make named reread its zone files?

Answer: ndc reload /usr/sbin/ndc reload rndc reload /usr/sbin/rndc reload

16. You have configured a workstation to boot in runlevel 4, but you now find that the X server will not start correctly and the machine will not allow local access. What would be the most effective command to run at the LILO prompt to regain local access to the machine, when the last known working kernel image was linux?

Answer: linux 3 linux 1 linux single linux S linux 2

17. Which TWO of the following commands could be used to add a second IP address to eth0?

- A. ifconfig eth0 addip 192.168.123.10
- B. ifconfig eth0:1 192.168.123.10
- C. ifconfig eth01 192.168.123.10
- D. ifconfig eth0 +192.168.123.10
- E. ifconfig eth0:sub1 192.168.123.10

Answer: BE

18. Which single parameter, when passed to nmap, will instruct nmap to perform a fast scan? (Provide only the option)

Answer: -F

19. Your routing configuration relies on eth0 being a 3com card that requires the 3c59x module. What line must be added to modules configuration file, to ensure that eth0 always uses this module?

- A. eth0=3c59x
- B. alias eth0=3c59x
- C. alias eth0 3c59x
- D. set eth0 3c59x
- E. set eth0=3c59x

Answer: C

20. What is the minimum number of disks required in a RAID5 array?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: C

[More 117-201 Information](#)

---

117-202 Lpi Level 2 Exam 202

-----  
117-201 Lpi Level 2 Exam 201  
-----

**Other Lpi Exams**

117-201      117-199      117-302      117-101      117-202      117-102      117-303      117-151  
117-301