

Just4Cert 1z0-007 Exams

Oracle Introduction to Oracle9i: SQL



Practice Exam: 1z0-007

Exam Number/Code: 1z0-007

Exam Name: Introduction to Oracle9i: SQL

Questions and Answers: 129 Q&As

Exam Description

Order : [1z0-007 Exam](#)

1. Just4Cert offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1z0-007 Exam.

Just4Cert **Practice Exams** for 1z0-007 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **9i DBA** exam and get your **9i DBA Certification**.

We guarantee your success in the first attempt. If you do not pass the **9i DBA** "1z0-007" (Introduction to Oracle9i: SQL on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Just4Cert 9i DBA 1z0-007 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of 9i DBA 1z0-007 exam provides everything which you need to pass your exam. The 9i DBA Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "1z0-007 exam" question: from different websites or books, but logic is the key. Our Product will help you not only pass in the first Introduction to Oracle9i: SQL(9i DBA) exam try, but also save your valuable time.

Comprehensive questions with complete details about 1z0-007 exam.

1z0-007 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real 9i DBA exam. 1z0-007 exam questions updated on regular basis.

Like actual 9i DBA Certification exams, 1z0-007 exam preparation is in multiple-choice questions (MCQs). Tested by many real 9i DBA exams before publishing.

Try free 9i DBA exam demo before you decide to buy it in <http://www.Just4Cert.com>

High quality and Valued for the 1z0-007 Exam: 100% Guarantee to Pass Your 1z0-007 exam and get your 9i DBA Certification. Come to <http://www.Just4Cert.com> The easiest and quickest way to get your 9i DBA Certification.

Just4Cert professional provides 9i DBA 1z0-007 the newest Q&A, completely covers 1z0-007 test original topic. With our completed 9i DBA resources, you will minimize your 9i DBA cost and be ready to pass your 1z0-007 test on You First Try, 100% Money Back Guarantee included!

1z0-007 Exam Study Guide

1z0-007 exam is regarded as one of the most favourite [9i DBA Certifications](#). Many IT professionals prefer to add 1z0-007 exam among their credentials. Just4Cert not only caters you all the information regarding the 1z0-007 exam but also provides you the excellent 1z0-007 study guide which makes the certification exam easy for you.

Just4Cert Engine Features

Comprehensive questions and answers about 1z0-007 exam

1z0-007 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1z0-007 exam questions updated on regular basis

Same type as the certification exams, 1z0-007 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1z0-007 exam demo before you decide to buy it in Just4Cert.com

Just4Cert Help You Pass Any IT Exam

[Just4Cert.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-007

Title : Introduction to Oracle9i: SQL

1. The CUSTOMERS table has these columns:

CUSTOMER_ID NUMBER(4) NOT NULL

CUSTOMER_NAME VARCHAR2(100) NOT NULL

CUSTOMER_ADDRESS VARCHAR2(150)

CUSTOMER_PHONE VARCHAR2(20)

You need to produce output that states "Dear Customer customer_name, ".

The customer_name data values come from the CUSTOMER_NAME column in the CUSTOMERS table. Which statement produces this output?

A. SELECT dear customer, customer_name,

B. SELECT "Dear Customer", customer_name || ','

FROM customers;

C. SELECT 'Dear Customer ' || customer_name ','

FROM customers;

D. SELECT 'Dear Customer ' || customer_name || ','

FROM customers;

E. SELECT "Dear Customer " || customer_name || ","

FROM customers;

F. SELECT 'Dear Customer ' || customer_name || ',' ||

FROM customers;

Answer: D

2. Which SQL statement defines a FOREIGN KEY constraint on the DEPTNO column of the EMP table?

A. CREATE TABLE EMP

(empno NUMBER(4),

ename VARCHAR2(35),

deptno NUMBER(7,2) NOT NULL,

CONSTRAINT emp_deptno_fk FOREIGN KEY deptno

```

REFERENCES dept(deptno);
B.CREATE TABLE EMP
(empno NUMBER(4),
ename VARCHAR2(35),
deptno NUMBER(7,2)
CONSTRAINT emp_deptno_fk REFERENCES dept(deptno));
C.CREATE TABLE EMP
(empno NUMBER(4),
ename VARCHAR2(35),
deptno NUMBER(7,2) NOT NULL,
CONSTRAINT emp_deptno_fk REFERENCES dept(deptno)
FOREIGN KEY(deptno));
D.CREATE TABLE EMP
(empno NUMBER(4),
ename VARCHAR2(35),
deptno NUMBER(7,2) FOREIGN KEY
CONSTRAINT emp_deptno_fk REFERENCES dept(deptno));

```

Answer: B

3. Which SQL statement generates the alias Annual Salary for the calculated column SALARY*12?

```

A.SELECT ename, salary*12 'Annual Salary'
FROM employees;
B.SELECT ename, salary*12 "Annual Salary"
FROM employees;
C.SELECT ename, salary*12 AS Annual Salary
FROM employees;
D.SELECT ename, salary*12 AS INITCAP("ANNUAL SALARY")
FROM employees

```

Answer: B

4. Evaluate this SQL statement:

```

SELECT ename, sal, 12*sal+100
FROM emp;

```

The SAL column stores the monthly salary of the employee. Which change must be made to the above syntax to calculate the annual compensation as "monthly salary plus a monthly bonus of \$100, multiplied by 12"?

A.No change is required to achieve the desired results.

B.SELECT ename, sal, 12*(sal+100)

FROM emp;

C.SELECT ename, sal, (12*sal)+100

FROM emp;

D.SELECT ename, sal+100,*12

FROM emp;

Answer: B

5. Which two are attributes of iSQL*Plus? (Choose two.)

A.iSQL*Plus commands cannot be abbreviated.

B.iSQL*Plus commands are accessed from a browser.

C.iSQL*Plus commands are used to manipulate data in tables.

D.iSQL*Plus commands manipulate table definitions in the database.

E.iSQL*Plus is the Oracle proprietary interface for executing SQL statements.

Answer: BE

6. A SELECT statement can be used to perform these three functions:

1. Choose rows from a table.

2. Choose columns from a table.
3. Bring together data that is stored in different tables by creating a link between them.

Which set of keywords describes these capabilities?

- A.difference, projection, join
- B.selection, projection, join
- C.selection, intersection, join
- D.intersection, projection, join
- E.difference, projection, product

Answer: B

7. You need to design a student registration database that contains several tables storing academic information. The STUDENTS table stores information about a student. The STUDENT_GRADES table stores information about the student's grades. Both of the tables have a column named STUDENT_ID. The STUDENT_ID column in the STUDENTS table is a primary key.

You need to create a foreign key on the STUDENT_ID column of the STUDENT_GRADES table that points to the STUDENT_ID column of the STUDENTS table. Which statement creates the foreign key?

- A.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT student_id_fk REFERENCES (student_id)
FOREIGN KEY students(student_id));
- B.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
student_id_fk FOREIGN KEY (student_id)
REFERENCES students(student_id));
- C.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT FOREIGN KEY (student_id)
REFERENCES students(student_id));
- D.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT student_id_fk FOREIGN KEY (student_id)
REFERENCES students(student_id));

Answer: D

8. Which three statements correctly describe the functions and use of constraints? (Choose three.)

- A.Constraints provide data independence.
- B.Constraints make complex queries easy.
- C.Constraints enforce rules at the view level.
- D.Constraints enforce rules at the table level.
- E.Constraints prevent the deletion of a table if there are dependencies.
- F.Constraints prevent the deletion of an index if there are dependencies.

Answer: CDE

9. Evaluate this SQL statement:

```
SELECT e.employee_id, (.15* e.salary) + (.5 * e.commission_pct)  
+ (s.sales_amount * (.35 * e.bonus)) AS CALC_VALUE
```

```
FROM employees e, sales s
WHERE e.employee_id = s.emp_id;
```

What will happen if you remove all the parentheses from the calculation?

- A. The value displayed in the CALC_VALUE column will be lower.
- B. The value displayed in the CALC_VALUE column will be higher.
- C. There will be no difference in the value displayed in the CALC_VALUE column.
- D. An error will be reported.

Answer: C

10. What are two reasons to create synonyms? (Choose two.)

- A. You have too many tables.
- B. Your tables are too long.
- C. Your tables have difficult names.
- D. You want to work on your own tables.
- E. You want to use another schema's tables.
- F. You have too many columns in your tables.

Answer: CE

11. The CUSTOMERS table has these columns:

```
CUSTOMER_ID NUMBER(4) NOT NULL
CUSTOMER_NAME VARCHAR2(100) NOT NULL
STREET_ADDRESS VARCHAR2(150)
CITY_ADDRESS VARCHAR2(50)
STATE_ADDRESS VARCHAR2(50)
PROVINCE_ADDRESS VARCHAR2(50)
COUNTRY_ADDRESS VARCHAR2(50)
POSTAL_CODE VARCHAR2(12)
CUSTOMER_PHONE VARCHAR2(20)
```

The CUSTOMER_ID column is the primary key for the table.

You need to determine how dispersed your customer base is. Which expression finds the number of different countries represented in the CUSTOMERS table?

- A. COUNT(UPPER(country_address))
- B. COUNT(DIFF(UPPER(country_address)))
- C. COUNT(UNIQUE(UPPER(country_address)))
- D. COUNT DISTINCT UPPER(country_address)
- E. COUNT(DISTINCT (UPPER(country_address)))

Answer: E

12. Evaluate this SQL statement:

```
SELECT e.EMPLOYEE_ID,e.LAST_NAME,e.DEPARTMENT_ID, d.DEPARTMENT_NAME
FROM EMPLOYEES e, DEPARTMENTS d
WHERE e.DEPARTMENT_ID = d.DEPARTMENT_ID;
```

In the statement, which capabilities of a SELECT statement are performed?

- A. selection, projection, join
- B. difference, projection, join
- C. selection, intersection, join
- D. intersection, projection, join
- E. difference, projection, product

Answer: A

13. Which view should a user query to display the columns associated with the constraints on a table owned by the user?

- A. USER_CONSTRAINTS
- B. USER_OBJECTS

- C.ALL_CONSTRAINTS
- D.USER_CONS_COLUMNS
- E.USER_COLUMNS

Answer: D

14. Which are iSQL*Plus commands? (Choose all that apply.)

- A.INSERT
- B.UPDATE
- C.SELECT
- D.DESCRIBE
- E.DELETE
- F.RENAME

Answer: D

15. What does the FORCE option for creating a view do?

- A.creates a view with constraints
- B.creates a view even if the underlying parent table has constraints
- C.creates a view in another schema even if you don't have privileges
- D.creates a view regardless of whether or not the base tables exist

Answer: D

16. Which is an iSQL*Plus command?

- A.INSERT
- B.UPDATE
- C.SELECT
- D.DESCRIBE
- E.DELETE
- F.RENAME

Answer: D

17. In which three cases would you use the USING clause? (Choose three.)

- A.You want to create a nonequijoin.
- B.The tables to be joined have multiple NULL columns.
- C.The tables to be joined have columns of the same name and different data types.
- D.The tables to be joined have columns with the same name and compatible data types.
- E.You want to use a NATURAL join, but you want to restrict the number of columns in the join condition.

Answer: CDE

18. The STUDENT_GRADES table has these columns:

STUDENT_ID NUMBER(12)

SEMESTER_END DATE

GPA NUMBER(4,3)

The registrar requested a report listing the students' grade point averages (GPA) sorted from highest grade point average to lowest.

Which statement produces a report that displays the student ID and GPA in the sorted order requested by the registrar?

- A.SELECT student_id, gpa
FROM student_grades
ORDER BY gpa ASC;
- B.SELECT student_id, gpa
FROM student_grades
SORT ORDER BY gpa ASC;
- C.SELECT student_id, gpa
FROM student_grades

```
SORT ORDER BY gpa;
D.SELECT student_id, gpa
FROM student_grades
ORDER BY gpa;
E.SELECT student_id, gpa
FROM student_grades
SORT ORDER BY gpa DESC;
F.SELECT student_id, gpa
FROM student_grades
ORDER BY gpa DESC;
Answer: F
```

19. Click the Exhibit button and examine the data in the EMPLOYEES table.
Which three subqueries work? (Choose three.)

```
A.SELECT *
FROM employees
where salary > (SELECT MIN(salary)
FROM employees
GROUP BY department_id);
B.SELECT *
FROM employees
WHERE salary = (SELECT AVG(salary)
FROM employees
GROUP BY department_id);
C.SELECT distinct department_id
FROM employees
WHERE salary > ANY (SELECT AVG(salary)
FROM employees
GROUP BY department_id);
D.SELECT department_id
FROM employees
WHERE salary > ALL (SELECT AVG(salary)
FROM employees
GROUP BY department_id);
E.SELECT last_name
FROM employees
WHERE salary > ANY (SELECT MAX(salary)
FROM employees
GROUP BY department_id);
F.SELECT department_id
FROM employees
WHERE salary > ALL (SELECT AVG(salary)
FROM employees
GROUP BY AVG(SALARY));
```

Answer: CDE

20. Which two statements are true about constraints? (Choose two.)

- A.The UNIQUE constraint does not permit a null value for the column.
- B.A UNIQUE index gets created for columns with PRIMARY KEY and UNIQUE constraints.
- C.The PRIMARY KEY and FOREIGN KEY constraints create a UNIQUE index.
- D.The NOT NULL constraint ensures that null values are not permitted for the column.

Answer: BD

Related 1z0-007 Exams

[1z0-007](#) *Introduction to Oracle9i: SQL*

[1z0-032](#) *oracle9i database:fundamentals ii*

[1z0-031](#) *oracle9i database:fundamentals i*

[1z0-033](#) *Oracle9i Database:Performance Tuning*

[1z0-030](#) *oracle9i database:new features for administrators*

[1z0-035](#) *oracle9i db a new features for oracle7.3 and oracle9 ocps*

Other Oracle Exams

[1z0-130](#)

[1Z0-215](#)

[1z0-232](#)

[1z0-255](#)

[1z0-140](#)

[1z0-264](#)

[1Z0-207](#)

[1z0-620](#)

[1Z0-051](#)

[1z0-235](#)

[1z0-221](#)

[1z0-301](#)

[1z1-051](#)

[1z0-030](#)

[1z1-050](#)

[1Z0-218](#)

[1z0-035](#)

[1z0-223](#)

[1z0-054](#)

[1z0-630](#)