

70-235 exam questions updated on regular basis

Same type as the certification exams, 70-235 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 70-235 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Microsoft 70-235

Title : TS:Developing Busin Process & Intgrtion Sol Using MS Biz TIK

1. Your company uses BizTalk subscriptions to identify schemas. The company requires a versioned schema to receive customer orders and track the changes in the orders.

You need to design a new version of the schema that can be deployed along with the old version. Your solution must identify schemas by using the root node.

What should you do?

- A. Create a root node named CustomerOrder. Then, set the Standard Version property of the schema node.
- B. Create a root node named CustomerOrder, add a Version attribute to the root node, and set a unique value.
- C. Create a root node with a unique version number.
- D. Create a root node named CustomerOrder. Then, create a child element named OrderInfo with a unique version number.

Answer: C

2. You are developing a BizTalk orchestration that receives a purchase order request.

The orchestration contains a Receive shape followed by a Scope shape.

You need to ensure that this orchestration executes only if the purchase order number is within a numerical range.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Create a distinguished field.
- B. Create a promoted property.
- C. Use a Decision shape and write a Boolean expression.
- D. Set the filter expression on the Receive shape.

Answer: B AND D

3. Your company requires a BizTalk solution to receive purchase orders from a trading partner.

The trading partner sends a sample purchase order XML file along with a sample flat file that a legacy system can import.

You create schemas for both the sample files. You notice that the schemas contain the same record and element names but different field layouts.

You need to create a map that transforms the XML messages into flat-file messages.

Which three actions should you perform? (Each correct answer presents part of the solution. Choose three.)

- A. Create a map that contains a Custom functoid.
- B. Configure the map grid properties auto link node option to name.
- C. Configure the schema property of the output file to native.
- D. Configure the map grid properties auto link node option to structure.
- E. Create a map and select the destination and source sample schemas.

Answer: E AND B AND C

4. You need to create a BizTalk application to exchange e-mail messages with your trading partners.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Create a new send handler on the SMTP adapter and configure it with the settings of your e-mail server.
- B. Configure a new receive handler on the POP3 adapter and configure it with the settings of your trading partners e-mail server.
- C. Configure a new receive handler on the POP3 adapter and configure it with the settings of your e-mail server.

D. Create a new send handler on the SMTP adapter and configure it with the settings of your trading partners e-mail server.

Answer: A AND C

5. Your company uses BizTalk Server 2006 to process encrypted XML interchanges.

You want each message to be validated and routed to an orchestration. The messages that are not validated must be stored in their native format in the BizTalk MessageBox database.

You need to design a recoverable interchange solution. You need to achieve this goal by using the minimum amount of coding effort.

What should you do?

A. Set the Recoverable Interchange Processing property of the default XML Receive pipeline to True.

B. Set the Recoverable Interchange Processing property of an XML Disassembler pipeline component to True.

C. Create a Custom pipeline component.

D. Create a send port that routes failed messages to the MessageBox Suspended queue and filters the messages on the basis of the ErrorType, FailureCode, and ReceivePortName properties.

Answer: B

6. You are creating an error handling process for a receive port.

You want to subscribe to specific errors.

You need to create a subscription for the send port by filtering the receive port errors by setting the BTS.ReceivePortName property.

Which property should you set next?

A. the ErrorReport.FailureCode property

B. the ErrorReport.FailureCategory property

C. the ErrorReport.Description property

D. the ErrorReport.ErrorType property

Answer: A

7. You are building a BizTalk application to register new employees.

At the end of the registration process, an e-mail notification is sent to the employees e-mail address, which is created during the process.

You need to configure a port to send the e-mail notification.

What should you do?

A. Configure the port as a static one-way send port.

B. Configure the port as a static solicit-response send port.

C. Configure the port as a dynamic one-way send port.

D. Configure the port as a dynamic solicit-response send port.

Answer: C

8. You develop a BizTalk application that receives customer orders submitted by your trading partners. You want to deploy this application to a BizTalk environment that contains three BizTalk Servers named Server 1, Server 2, and Server 3.

The current volume of customer orders is expected to increase within the next year.

To accommodate this expected increase, you need to isolate the applications receive functions from its processing and sending functions. You want to plan your BizTalk environment to host this application.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

A. Configure an additional MessageBox database for the BizTalk group.

B. Create separate hosts for receiving and sending or processing functions. Configure Server 1 to use the receiving host.

C. Create an isolated host on Server 2 and Server 3.

D. Configure the MSMQ adapter to transactionally receive the incoming messages.

E. Configure Server 2 and Server 3 to use the sending or processing host.

Answer: B AND E

9. You are designing a BizTalk messaging solution to exchange information with your trading partners. The messaging solution must securely transmit documents by using x.509 public certificates and route messages based on values in the message.

You need to design a messaging solution that meets these requirements.

Which three actions should you perform? (Each correct answer presents part of the solution. Choose three.)

- A. Create a new send port configured with a filter expression.
- B. Create a new Send pipeline.
- C. Create a new orchestration.
- D. Create promoted property fields.
- E. Create distinguished fields.

Answer: A AND B AND D

10. You use the Flat File Schema Creation Wizard to create a schema for a positional flat file. One of the records in the file contains a tag identifier.

When you test a message instance against the schema, you discover that the tag identifier is not removed.

You need to remove the tag identifier from the test output.

What should you do?

- A. Set the positional offset to exclude the tag identifier.
- B. Set the parent delimiter to {cr}{lf}.
- C. Set the root node delimiter to {cr}{lf}.
- D. Shorten the positional length of the record.

Answer: A

11. You are designing a BizTalk messaging solution for your company's RequestForProposal process.

The process must meet the following requirements.

Documents are routed with DocumentID.

Documents are transformed on receipt into a normalized document with the header section populated with values from a PartnerReliability SQL table.

Documents are encrypted for transmission to a selected partner.

You need to recommend a solution that will meet these requirements. The solution should use minimum amount of coding effort.

Which three actions should you include in your recommendation? (Each correct answer presents part of the solution. Choose three.)

- A. Configure promoted properties.
- B. Create a Custom Send pipeline.
- C. Create a map.
- D. Configure the SQL adapter.
- E. Configure distinguished properties.

Answer: A AND B AND C

12. You need to generate a list of all instance subscriptions.

What should you do?

- A. On the Group Hub page, create a query where the Search For option is set to Subscriptions and the Service Name option is set to BizTalkCachingService.
- B. On the Group Hub page, create a query where the Search For option is set to Subscriptions and the Subscription Type option is set to Activation Subscription.
- C. On the Group Hub page, create a query where the Search For option is set to All Service Instances and the Application Name option is set to the name of your application.
- D. On the Group Hub page, create a query where the Search For option is set to Subscriptions and the Subscription Type option is set to Instance Subscription.

Answer: D

13. You have received a sample XML message from a trading partner.

You need to create a valid schema for this message instance.

Which three actions should you perform? (Each correct answer presents part of the solution. Choose three.)

- A. Use Schema Generator Wizard to generate a schema from the sample file.
- B. Verify that the test instance properties of the schema use the sample message.
- C. Test the schema against the sample message. Then, verify the output.
- D. Use the XSD.exe file to generate a class based on the schema.

Answer: A AND B AND C

14. You are configuring a receive port for a purchasing application.

You want to track both authenticated and unauthenticated messages. You also want to ensure that the application processes only the authenticated messages.

You need to configure the receive port to meet these requirements. You need to achieve this goal by using the minimum amount of coding effort.

What should you do?

- A. Configure the receive port with the Authentication Not Required option and add a filter to the receive port.
- B. Configure the receive port with the Authentication Not Required option and add a party resolution component to the pipeline.
- C. Configure the receive port with the Authentication Required (Drop Messages) option.
- D. Configure the receive port with the Authentication Required (Keep Messages) option.

Answer: D

15. Your company runs BizTalk Server 2006 to receive large messages from a legacy system that uses a slow connection.

You need to reduce the processing time by breaking a large message into smaller messages. You need to achieve this goal by using the minimum amount of coding effort.

What should you do?

- A. Use an orchestration to send the large message to an external assembly.
- B. Use a Custom pipeline, set the Assembly Stage with a Flat File Assembler pipeline component, and set the Header, Document, and Trailer Schema properties.
- C. Use a Custom adapter to break the large message when the adapter is connected to the legacy system.
- D. Use a Custom pipeline, set the Disassembly Stage with a Flat File Disassembler pipeline component, and set the Header, Document, and Trailer Schema properties.

Answer: D

[More 70-235 Information](#)

Related 70-235 Exams

[70-680](#) TS:Windows 7,Configuring

[70-646](#) PRO: Windows Server 2008, Server Administrator

[70-620](#) TS: Microsoft Windows Vista, Configuring

[70-649](#) TS:Upgrading MCSE on Wndws Serv 2003 to Wndws Serv 2008

[70-401](#)

[70-528](#) MS.NET Framework 2.0-Web-based Client Development

[70-235](#) TS:Devlping Busin Process & Intgrtion Sol Using MS Biz TIK

[70-526](#) Microsoft .NET Framework 2.0 - Windows-based Client Development is in development

[70-646Big5](#) Pro:Windows Server 2008, Server Administrator

[70-620Big5](#) TS:Configuring Windows Vista Client

[70-536CSharp](#) TS:MS.NET Framework 2.0-Application Develop Foundation

[70-529](#) MS.NET Framework 2.0 - Distributed Appl Development

70-536VB TS:MS.NET Framework 2.0-Application Develop Foundation

70-526CSharp Microsoft .NET Framework 2.0 - Windows-based Client Development is in development

78-702 Designing and Managing a Microsoft Business Intelligence Solution

70-528CSharp MS.NET Framework 2.0-Web-based Client Development

70-526C++ Microsoft .NET Framework 2.0 - Windows-based Client Development is in development

70-528VB MS.NET Framework 2.0-Web-based Client Development

70-529VB MS.NET Framework 2.0 - Distributed Appl Development

70-526VB Microsoft .NET Framework 2.0 - Windows-based Client Development is in development

Other Microsoft Exams

70-320

70-086

70-

70-217

MB6-288

MB6-506

MB5-625

70-561

549CSharp

70-294

MB2-421

70-400

MB3-533

MB6-502

MB7-225

70-543

MB5-229

MB3-230

MB5-629

MB7-221

MB3-527