

## **70-433 TS**

### **Microsoft TS: Microsoft SQL Server 2008, Database Development**

**Practice Exam:** 70-433 Exams

**Exam Number/Code:** 70-433

**Exam Name:** TS: Microsoft SQL Server 2008, Database Development

**Questions and Answers:** 133 Q&As

Exam : [70-](#)

70-433 exam questions updated on regular basis

Same type as the certification exams, 70-433 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 70-433 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Microsoft 70-433

Title : TS: Microsoft SQL Server 2008, Database Development

1. You are developing a new database. The database contains two tables named SalesOrderDetail and Product. You need to ensure that all products referenced in the SalesOrderDetail table have a corresponding record in the Product table.

Which method should you use?

- A. JOIN
- B. DDL trigger
- C. Foreign key constraint
- D. Primary key constraint

Answer: C

2. You need to create a column that allows you to create a unique constraint.

Which two column definitions should you choose? (Each correct answer presents a complete solution. Choose two.)

- A. nvarchar(100) NULL
- B. nvarchar(max) NOT NULL
- C. nvarchar(100) NOT NULL
- D. nvarchar(100) SPARSE NULL

Answer: AC

3. You have a table named dbo.Customers. The table was created by using the following Transact-SQL statement:

```
CREATE TABLE dbo.Customers
(
  CustomerID int IDENTITY(1,1) PRIMARY KEY CLUSTERED,
  AccountNumber nvarchar(25) NOT NULL,
  FirstName nvarchar(50) NOT NULL,
  LastName nvarchar(50) NOT NULL,
  AddressLine1 nvarchar(255) NOT NULL,
  AddressLine2 nvarchar(255) NOT NULL,
  City nvarchar(50) NOT NULL,
  StateProvince nvarchar(50) NOT NULL,
  Country nvarchar(50) NOT NULL,
  PostalCode nvarchar(50) NOT NULL,
  CreateDate datetime NOT NULL DEFAULT(GETDATE()),
  ModifiedDate datetime NOT NULL DEFAULT(GETDATE())
)
```

You create a stored procedure that includes the AccountNumber, Country, and StateProvince columns from the dbo.Customers table. The stored procedure accepts a parameter to filter the output on the AccountNumber column. You need to optimize the performance of the stored procedure. You must not change the existing structure of the table.

Which Transact-SQL statement should you use?

- A. CREATE STATISTICS ST\_Customer\_AccountNumber  
ON dbo.Customer (AccountNumber)  
WITH FULLSCAN;

B. CREATE CLUSTERED INDEX IX\_Customer\_AccountNumber  
ON dbo.Customer (AccountNumber);  
C. CREATE NONCLUSTERED INDEX IX\_Customer\_AccountNumber  
ON dbo.Customer (AccountNumber)  
WHERE AccountNumber = " ;  
D. CREATE NONCLUSTERED INDEX IX\_Customer\_AccountNumber  
ON dbo.Customer (AccountNumber)  
INCLUDE (Country, StateProvince);  
Answer: D

4. You have a table named Customer.

You need to ensure that customer data in the table meets the following requirements:

credit limit must be zero unless customer identification has been verified.

credit limit must be less than 10,000.

Which constraint should you use?

- A. CHECK (CreditLimit BETWEEN 1 AND 10000)
- B. CHECK (Verified = 1 AND CreditLimit BETWEEN 1 AND 10000)
- C. CHECK ((CreditLimit = 0 AND Verified = 0) OR (CreditLimit BETWEEN 1 AND 10000 AND Verified = 1))
- D. CHECK ((CreditLimit = 0 AND Verified = 0) AND (CreditLimit BETWEEN 1 AND 10000 AND Verified = 1))

Answer: C

5. You plan to add a new column named SmallKey to the Sales.Product table that will be used in a unique constraint.

You are required to ensure that the following information is applied when adding the new column:

'a1' and 'A1' are treated as different values

'a' and 'A' sort before 'b' and 'B' in an ORDER BY clause

You need to select the collation that meets the requirements for the new column. Which collation should you select?

- A. Latin1\_General\_BIN
- B. SQL\_Latin1\_General\_CP1\_CI\_AI
- C. SQL\_Latin1\_General\_CP1\_CI\_AS
- D. SQL\_Latin1\_General\_CP1\_CS\_AS

Answer: D

6. You have a SQL Server 2008 database named Contoso with a table named Invoice. The primary key of the table is Invoiceld, and it is populated by using the identity property. The Invoice table is related to the InvoiceLineItem table.

You remove all constraints from the Invoice table during a data load to increase load speed. You notice that while the constraints were removed, a row with Invoiceld = 10 was removed from the database. You need to re-insert the row into the Invoice table with the same Invoiceld value.

Which Transact-SQL statement should you use?

- A. INSERT INTO Invoice (Invoiceld, ...  
VALUES (10, ...
- B. SET IDENTITY\_INSERT Invoice ON;  
INSERT INTO Invoice (Invoiceld, ...  
VALUES (10, ...  
SET IDENTITY\_INSERT Invoice OFF;
- C. ALTER TABLE Invoice;  
ALTER COLUMN Invoiceld int;  
INSERT INTO Invoice (Invoiceld, ...  
VALUES (10, ...
- D. ALTER DATABASE Contoso SET SINGLE\_USER;  
INSERT INTO Invoice (Invoiceld, ...  
VALUES (10, ...  
ALTER DATABASE Contoso SET MULTI\_USER;

Answer: B

7. You have multiple tables that represent properties of the same kind of entities. The property values are comprised of text, geometry, varchar(max), and user-defined types specified as 'bit NOT NULL' data types.

You plan to consolidate the data from multiple tables into a single table. The table will use semi-structured storage by taking advantage of the SPARSE option.

You are tasked to identify the data types that are compatible with the SPARSE option.

Which data type is compatible with the SPARSE option?

- A. text
- B. geometry
- C. varchar(max)
- D. A user-defined type defined as 'bit NOT NULL'

Answer: C

8. You have two partitioned tables named Transaction and TransactionHistory.

You need to archive one of the partitions of the Transaction table to the TransactionHistory table.

Which method should you use?

- A. ALTER TABLE ...  
SWITCH ...
- B. INSERT ... SELECT ...;  
TRUNCATE TABLE
- C. ALTER PARTITION FUNCTION ...  
MERGE ...
- D. ALTER PARTITION FUNCTION ...  
SPLIT ...

Answer: A

9. You manage a SQL Server 2008 database that is located at your company's corporate headquarters. The database contains a table named dbo.Sales. You need to create different views of the dbo.Sales table that will be used by each region to insert, update, and delete rows. Each regional office must only be able to insert, update, and delete rows for their respective region.

Which view should you create for Region1?

- A. CREATE VIEW dbo.Region1Sales  
AS  
SELECT SalesID,OrderQty,SalespersonID,RegionID  
FROM dbo.Sales  
WHERE RegionID = 1;
- B. CREATE VIEW dbo.Region1Sales  
AS  
SELECT SalesID,OrderQty,SalespersonID,RegionID  
FROM dbo.Sales  
WHERE RegionID = 1  
WITH CHECK OPTION;
- C. CREATE VIEW dbo.Region1Sales  
WITH SCHEMABINDING  
AS  
SELECT SalesID,OrderQty,SalespersonID,RegionID  
FROM dbo.Sales  
WHERE RegionID = 1;
- D. CREATE VIEW dbo.Region1Sales  
WITH VIEW\_METADATA  
AS  
SELECT SalesID,OrderQty,SalespersonID,RegionID  
FROM dbo.Sales

WHERE RegionID = 1;

Answer: B

10. You have a user named John. He has SELECT access to the Sales schema. You need to eliminate John's SELECT access rights from the Sales.SalesOrder table without affecting his other permissions.

Which Transact-SQL statement should you use?

- A. DROP USER John;
- B. DENY SELECT ON Sales.SalesOrder TO John;
- C. GRANT DELETE ON Sales.SalesOrder TO John;
- D. REVOKE SELECT ON Sales.SalesOrder FROM John;

Answer: B

11. You are creating a table that stores the GPS location of customers.

You need to ensure that the table allows you to identify customers within a specified sales boundary and to calculate the distance between a customer and the nearest store.

Which data type should you use?

- A. geometry
- B. geography
- C. nvarchar(max)
- D. varbinary(max) FILESTREAM

Answer: B

12. You currently store date information in two columns. One column contains the date in local time and one column contains the difference between local time and UTC time. You need to store this data in a single column.

Which data type should you use?

- A. time
- B. datetime2
- C. datetime2(5)
- D. datetimeoffset

Answer: D

13. You administer a SQL Server 2008 database that contains a table name dbo.Sales, which contains the following table definition:

```
CREATE TABLE [dbo].[Sales](
[SalesID] [int] IDENTITY(1,1) NOT NULL PRIMARY KEY CLUSTERED,
[OrderDate] [datetime] NOT NULL,
[CustomerID] [int] NOT NULL,
[SalesPersonID] [int] NULL,
[CommentDate] [date] NULL);
```

This table contains millions of orders. You run the following query to determine when sales persons comment in the dbo.Sales table:

```
SELECT SalesID, CustomerID, SalesPersonID, CommentDate
FROM dbo.Sales
WHERE CommentDate IS NOT NULL
AND SalesPersonID IS NOT NULL;
```

You discover that this query runs slow. After examining the data, you find only 1% of rows have comment dates and the SalesPersonID is null on 10% of the rows. You need to create an index to optimize the query. The index must conserve disk space while optimizing your query.

Which index should you create?

- A. CREATE NONCLUSTERED INDEX idx1  
ON dbo.Sales (CustomerID)  
INCLUDE (CommentDate, SalesPersonID);
- B. CREATE NONCLUSTERED INDEX idx1

```
ON dbo.Sales (SalesPersonID)
INCLUDE (CommentDate, CustomerID);
C. CREATE NONCLUSTERED INDEX idx1
ON dbo.Sales (CustomerID)
INCLUDE(CommentDate)
WHERE SalesPersonID IS NOT NULL;
D. CREATE NONCLUSTERED INDEX idx1
ON dbo.Sales (CommentDate, SalesPersonID)
INCLUDE(CustomerID)
WHERE CommentDate IS NOT NULL;
Answer: D
```

14. You have a table named AccountsReceivable. The table has no indexes. There are 75,000 rows in the table. You have a partition function named FG\_AccountData. The AccountsReceivable table is defined in the following Transact-SQL statement:

```
CREATE TABLE AccountsReceivable (
column_a INT NOT NULL,
column_b VARCHAR(20) NULL)
ON [PRIMARY];
```

You need to move the AccountsReceivable table from the PRIMARY file group to FG\_AccountData.

Which Transact-SQL statement should you use?

- A. CREATE CLUSTERED INDEX idx\_AccountsReceivable  
ON AccountsReceivable(column\_a)  
ON [FG\_AccountData];
- B. CREATE NONCLUSTERED INDEX idx\_AccountsReceivable  
ON AccountsReceivable(column\_a)  
ON [FG\_AccountData];
- C. CREATE CLUSTERED INDEX idx\_AccountsReceivable  
ON AccountsReceivable(column\_a)  
ON FG\_AccountData(column\_a);
- D. CREATE NONCLUSTERED INDEX idx\_AccountsReceivable  
ON AccountsReceivable(column\_a)  
ON FG\_AccountData(column\_a);

Answer: C

15. Your database is 5GB and contains a table named SalesHistory. Sales information is frequently inserted and updated.

You discover that excessive page splitting is occurring.

You need to reduce the occurrence of page splitting in the SalesHistory table.

Which code segment should you use?.

- A. ALTER DATABASE Sales  
MODIFY FILE  
(NAME = Salesdat3,  
SIZE = 10GB);
- B. ALTER INDEX ALL ON Sales.SalesHistory  
REBUILD WITH (FILLFACTOR = 60);
- C. EXEC sys.sp\_configure 'fill factor (%)', '60';
- D. UPDATE STATISTICS Sales.SalesHistory(Products)  
WITH FULLSCAN, NORECOMPUTE;

Answer: B

[More 70-433 Information](#)

## Related 70-433 Exams

70-647 Pro: Windows Server 2008,Enterprise Administrator

70-640 TS: Windows Server 2008 Active Directory, Configuring

70-662 TS: Microsoft Exchange Server 2010, Configuring (English)

70-642 TS: Windows Server 2008 Network Infrastructure, Configuring

83-640 TS: Windows Server 2008 Active Directory, Configuring

70-568 Upgrade: Transition your MCPD Enterprise Application Developer Skills to MCPD Enterprise Applications Developer 3.5, Par

70-433 TS: Microsoft SQL Server 2008, Database Development

70-562 TS: MS .NET Framework 3.5, ASP.NET Application Development

70-432 TS:MS SQL Server@ 2008,Implementation and Maintenance

70-660 TS:Windows® Internals

70-643 TS: Windows Server 2008 Applications Infrastructure, Configuring

70-569 Upgrade: Transition your MCPD Enterprise Application Developer Skills to MCPD Enterprise Applications Developer 3.5, Par

70-448 TS:MS SQL Server 2008.Business Intelligence Dev & Maintenan

70-561 TS: MS .NET Framework 3.5, ADO.NET Application Development

70-450 PRO:MS SQL Serv 08,Design,Optimize, & Maintain DB Admin Solu

70-658 TS: System Center Data Protection Manager 2007, Configuring (English)

70-652 TS: Windows Server Virtualization, Configuring

70-563 Pro: Designing and Developing Windows Applications Using the Microsoft .NET Framework 3.5

70-653 TS:Windows Small Business Server 2008, Configuring

70-690 TS: Windows HPC Server 2008, Configuring and Managing (English)

## Other Microsoft Exams

<u>70-571GB2312</u>	<u>70-544VB</u>	<u>MB4-175</u>	<u>70-552CSharp</u>	<u>MB2-184</u>	<u>70-230</u>	<u>70-562VB</u>	<u>MB3-207</u>
<u>70-214</u>	<u>70-089</u>	<u>70-620Big5</u>	<u>MB6-503</u>	74		<u>MB6-204</u>	<u>70-505VB</u>